17 TIPS FOR SELECTING A NATURAL STONE COUNTERTOP CHECKLIST

POLYCOR | DISCOVER THE TRUE NATURE OF STONE



MY CHECKLIST

Bring a **cabinet door panel** or sample of the cabinet finish to the stone yard to help determine your selection.

Bring samples of **flooring** you are considering to help you decide which is most suitable for the stones you will be looking at.

If you have narrowed down your wall **paint colors** to several options, bring them as well to better visualize the design.

Make a **copy of the kitchen layout** from your kitchen design, complete with all measurements, to help you envision the cuts on the stone and where certain sections of veining or color in the slab will fall.

Print **photos of finished kitchens featuring stones** that you like to use as a visual aid while searching.

Bring a **tape measure** to take working measurements of the slab and see where certain countertops could fit into the slab.

Check the weather before scheduling to view slabs outdoors.

Decide whether you prefer **movement**, i.e. veining, or a **more neutral**, monochromatic stone to help narrow down your choices.

Determine the relationship between the cabinet, floor and slab for **subtle or strong contrasts** and .

Determine what kind of **surface finish** you want for your countertop: polished, honed, antiqued, leathered, brushed, flamed, etc.

Take a close look at the surface character of the stone. Rub your hands along the face of the slab and feel for any natural inclusions, fissures, pits or any other unique geological occurrences.

Working from the copy of your kitchen layout, take your tape measure and, starting with the largest and most visible area of the kitchen, **determine which part of the slab is the most interesting** and see if it can be used for that spot in the kitchen.

Think about **your seam locations**, the best areas for seams are inside cut-outs such as sinks or cook tops.

Believe it or not, your **choice of edging** will sometimes dictate which stone you choose.

If you are considering an outdoor kitchen then be sure that the stone is suitable for exterior use.

Be sure to **reserve enough material** to complete your job and double check that the slabs are all from the same lot.

Ensure that your fabricator will apply a **good quality penetrating sealer** to the finished countertops once they are cut and installed.

MY NOTES