



BLOCKS & QUARRIES



4 OUR STORY

6 OUR STOCKING PARTNERS

11 PREMIUM EXPORT QUALITY BLOCKS

12 AMERICAN BLACK™

13 BETHEL WHITE™

14 CALEDONIA™

15 CAMBRIAN BLACK™

16 ERAMOSA

17 GEORGIA MARBLE™ PEARL GREY™

18 MASSANGIS™

19 SAINT HENRY BLACK™

20 CHARMOT™ | VALANGES™


22 ALSO AVAILABLE FOR EXPORT

22 BLEU DE LIGNIÈRES™, FONTBELLE, ROCHERONS™ DORÉ,
SAINT-VAAST™, SIREUIL GRAND PLANTIER, TERVOUX

23 BARRE GRAY™, GEORGIA MARBLE™ WHITE CHEROKEE™, INDIANA LIMESTONE -
GRAY™, INDIANA LIMESTONE - SILVER BUFF™, LAURENTIAN GREEN™,
MAYBERRY MIST™, PICASSO™


24 OUR QUARRIES

OUR STORY







**+1,000
EMPLOYEES
WORLDWIDE**



**12 CERTIFIED
SITES**



**OPERATIONS
LOCATED IN
CANADA, THE
UNITED STATES,
AND FRANCE**



**4 COMMERCIAL
BRANDS**

OUR STOCKING *partners*



Bagnara - Verona (European Market)

Address: Via Madonna del Riposo, 34, 39057 Appiano sulla strada del vino BZ, Italy

Contact: Luca D'Agostino

Email: rivoli@bagnara.net

Phone: +39 04 56269094

Website: bagnara.net

Stones:

- **AMERICAN BLACK™** granite
- **BETHEL WHITE™** granite
- **ERAMOSA** limestone

Cereser Marmi - Verona (European Market)

Address: Via dell'Industria, 1, 37010 Rivoli Veronese VR, Italy

Contact: Siro Scala

Email: siro@ceresermarmi.com

Phone: +39 39 38128388

Website: ceresermarmi.com

Stones:

- **CAMBRIAN BLACK™** granite
- **SAINT HENRY BLACK™** granite
- **GEORGIA MARBLE™ PEARL GREY™**
- **ERAMOSA** limestone

Mediterranean Stone - Carrara (Italian Market)

Address: Via Provinciale Vallecchia, 127, 55045 Pietrasanta LU, Italy

Contact: Alessandro Michon

Email: info@medstone.it

Phone: +39 05 84283186

Website: medstone.it

Stones:

- **MASSANGIS™** french limestone
- **VALANGES™** french limestone
- **ROCHERONS™** french limestone

Polycor Agent - Stefano Braccini

Address: Via Antica Massa, 4A, 54031 Carrara MS, Italy

Contact: Stefano Braccini

Email: braccinistefano93@gmail.com

Phone: +39 335 312655

Stones:

- **ERAMOSA** limestone



CERESER MARMI

MEDITERRANEAN STONE

POLYCOR AGENT

BAGNARA

● Partners

OUR STOCKING *partners*

BDM

Showroom Address: 27, Cheongwonsandan7-Gil, Mado-Myeon, Hwaseong-Si, Gyeonggi-Do, 18543, South Korea

Headquarters Address: 3308, 511 Yeongdong-daero, Gangnam-Gu, Seoul, 06164, South Korea

Contact: Minji Choi

Email: minji.choi@baik-doo.com

Phone: +82 2 561 4797

Stones:

- **CAMBRIAN BLACK™** granite
- **GEORGIA MARBLE™ PEARL GREY™**

Hong Yi Stone

Address: 47-2 Dingxia Liao, Zhoucuo village, Guanqiao Town, Nanan City, Fujian, 362341, China

Contact: Freezo Hung

Email: 845864753@qq.com

Phone: +86 15905092610

Stones:

- **AMERIAN BLACK™** granite
- **BETHEL WHITE™** granite

Sichuan Jialangte Industrial Co., Ltd

Address: Jialangte, Area 2, Gate 3, Xishi International Stone Exhibition & Sales Center, Nan'an City,

Quanzhou City, Fujian Province, China

Contact: Mr. Zheng Zhang

Email: 1243980944@qq.com

Phone: +86 18113149943

Website: obamamarble.com

Stones:

- **ERAMOSIA** limestone

Xiamen GLS Stone

Address: No. 52 Zhongtai Road, Zhongtai Stone Industrial Zone, Shijing 362300, Nan'an, Quanzhou, Fujian, China

Contact: Rose Zhang

Email: xiamengls@hotmail.com

Phone: +86 592 5219822

Mobile: +86 137 74872593

Website: glsstonegroup.com

Stones:

- **MASSANGIS™** french limestone
- **VALANGES™** french limestone
- **TERVOUX** french limestone

Xiamen Orient Wanli Stone

Address: Rm. 311-313, 3rd floor, Hall A, No. 1267 Gangzhong Road, Huili District, Xiamen, P.R. China 361006

Contact: Denny Liu

Email: mqchina@blocks.cn

Phone: +86 137 2087 0410

Website: wanlistone.com

Stones:

- **CALEDONIA™** granite
- **CAMBRIAN BLACK™** granite






GEORGIA MARBLE™ QUARRY
Tate, GA, USA



PREMIUM EXPORT QUALITY BLOCKS



AMERICAN BLACK™

Granite



 **PENNSYLVANIA, USA**

Port of origin: Norfolk, VA, USA

Characteristics:

- Very consistent pattern (thighter range)
- Exclusive linear movement
- Darker than our competitors

		IMPERIAL	METRIC
Absorption by weight	ASTM C97	0.023%	0.023%
Density	ASTM C97	192.3 lb/ft³	3,080.35 kg/m³
Compressive strength	ASTM C170	43,524 Psi	300.09 MPa
Flexural strength	ASTM C880	3,560 Psi	24.5 MPa
Modulus of rupture	ASTM C99	3,799 Psi	26.19 MPa





BETHEL WHITE™

Granite




VERMONT, USA

Port of origin: Montréal, QC, CAN

Characteristics:

- Delivers the whitest granite building possible
- No oxydation
- Large extraction capacity

		IMPERIAL	METRIC
Absorption by weight	ASTM C97	0.256%	0.256%
Density	ASTM C97	164.4 lb/ft³	2,633.44 kg/m³
Compressive strength	ASTM C170	34,027 Psi	234.61 MPa
Flexural strength	ASTM C880	1,754 Psi	12.1 MPa
Modulus of rupture	ASTM C99	1,937 Psi	13.36 MPa



ADNOC Headquarters
Abu Dhabi, UAE



Grande Arche de la Défense
Paris, FRA



CALEDONIA™

Granite



Port of origin: Montréal, QC, CAN

Characteristics:

- Large extraction capacity
- Renowned historical material
- Available in two distinctives colors: Medium | Medium Dark

		IMPERIAL	METRIC
Absorption by weight	ASTM C97	0.12%	0.12%
Density	ASTM C97	169 lb/ft ³	2,710 kg/m ³
Compressive strength	ASTM C170	28,021 Psi	193.2 MPa
Flexural strength	ASTM C880	1,392 Psi	9.6 MPa
Modulus of rupture	ASTM C99	1,711 Psi	11.8 MPa





CAMBRIAN BLACK™

Granite




Port of origin: Montréal, QC, CAN

Characteristics:

- Background color consistency
- Exclusive quarry and material
- One of a kind grain structure

		IMPERIAL	METRIC
Absorption by weight	ASTM C97	0.09%	0.09%
Density	ASTM C97	177.9 lb/ft ³	2,850 kg/m ³
Compressive strength	ASTM C170	21,450 Psi	147.9 MPa
Flexural strength	ASTM C880	1,670 Psi	11.5 MPa
Modulus of rupture	ASTM C99	1,980 Psi	13.7 MPa



Meritz Tower
Seoul, KOR



Kruizenga Art Museum
Holland, MI, USA



ERAMOSA

Limestone



Port of origin: Montréal, QC, CAN

Characteristics:

- Unique stone
- Available in two different patterns: Fleuri | Linear
- Pattern and color consistency

		IMPERIAL	METRIC
Absorption by weight	ASTM C97	0.16%	0.16%
Density	ASTM C97	173 lb/ft ³	2,772 kg/m ³
Compressive strength	ASTM C170	34,178 Psi	235.65 MPa
Flexural strength	ASTM C880	N/A	N/A
Modulus of rupture	ASTM C99	3,859 Psi	26.61 MPa



Grand InterContinental Seoul Parnas
Seoul, KOR



Eramosa Fleuri Slab
Warton, ON, CAN



GEORGIA MARBLE™ PEARL GREY™



Port of origin: Savannah, GA, USA

Characteristics:

- Large extraction capacity
- Technical characteristic close to granite
- Grain structure allows different looks by changing finishes

		IMPERIAL	METRIC
Absorption by weight	ASTM C97	0.09%	0.09%
Density	ASTM C97	169.4 lb/ft ³	2,713.53 kg/m ³
Compressive strength	ASTM C170	9,505 Psi	65.53 MPa
Flexural strength	ASTM C880	1,192 Psi	8.22 MPa
Modulus of rupture	ASTM C99	1,374 Psi	9.47 MPa



Seongsu 14-35
Seoul, KOR



Museum of Modern Art
Manhattan, NY, USA



MASSANGIS™

French Limestone



Port of origin: Le Havre, FR

Characteristics:

- Large extraction capacity
- Available in three distinctive colors: Jaune | Jaune Clair | Clair Nuancé
- Renowned historical material

		IMPERIAL	METRIC
Absorption by weight	ASTM C97	5.03%	5.03%
Density	ASTM C97	143 lb/ft ³	2,283 kg/m ³
Compressive strength	ASTM C170	11,244 Psi	77.5 MPa
Modulus of rupture	ASTM C99	1,037 Psi	7.15 MPa
Flexural strength	ASTM C880	1,754Psi	12.1MPa



Eiffel Tower
Paris, FRA



Russian Orthodox Spiritual and Cultural Center
Paris, FRA



SAINT HENRY BLACK™

Granite



Port of origin: Montréal, QC, CAN

Characteristics:

- Consistent background color
- True deep black color
- Defined crystal-like grain

		IMPERIAL	METRIC
Absorption by weight	ASTM C97	0.056%	0.056%
Density	ASTM C97	177.2 lb/ft³	2,838.47 kg/m³
Compressive strength	ASTM C170	22,242 Psi	153.36 MPa
Flexural strength	ASTM C880	1,769 Psi	12.2 MPa
Modulus of rupture	ASTM C99	1,929 Psi	13.30 MPa





CHARMOT™ | VALANGES™

French Limestone



MASSANGIS, FRA




Port of origin: Le Havre, FR

Characteristics:

- Large extraction capacity
- Very consistent background color
- Available in two different patterns: Fleuri (Charmot) | Linear (Valanges)

		IMPERIAL	METRIC
Absorption by weight	ASTM C97	4.58%	4.58%
Density	ASTM C97	147 lb/ft ³	2,359 kg/m ³
Compressive strength	ASTM C170	10,594 Psi	73.0 MPa
Modulus of rupture	ASTM C99	1,095 Psi	7.55 MPa
Flexural strength	ASTM C880	1,754Psi	12.1MPa





Empire State Building
New York, NY, USA



Museum Reinhard Ernst
Frankfurt, GER

ADNOC Headquarters & Emirates Palace
Abu Dhabi, UAE



ALSO AVAILABLE *for export*


BLEU DE LIGNIÈRES™
Limestone



FONTBELLE
Limestone



ROCHERONS™ DORÉ
Limestone



SAINT-VAAST™
Limestone



SIREUIL GRAND PLANTIER
Limestone



TERVOUX
Limestone



BARRE GRAY™
Granite




GEORGIA MARBLE™ WHITE CHEROKEE™
Marble




INDIANA LIMESTONE - GRAY™
Limestone



INDIANA LIMESTONE - SILVER BUFF™
Limestone



LAURENTIAN GREEN™
Granite



MAYBERRY MIST™
Granite



PICASSO™
Granite







*What you see in Europe is not the full extent of our stone collection—it's simply the name of the quarry. We have such a vast variety that if we included everything, the map would be unreadable! To explore all our stone variations, visit polycor.fr.



Polycor Inc. products are natural. Subtle variations in color and texture do occur and are part of what makes natural stone unique and attractive. We cannot guarantee an exact match to any of the photographic images contained in this brochure. Polycor Inc.'s continuing attention to product improvement may result in product specifications, technical information, and availability being subject to change without notice.

© 2025 Polycor Inc. All Rights Reserved.



Scan this QR Code to find
a stone expert in your region.

polycor.com

Contact Us



European Sales: Jeff Lemieux - 1.418.575.2615

Asian Sales: Wonho Shin - +82 10 9463 3737

Our natural stones are quarried and
processed in the Canada, France and USA.

Proud member
of the NSI

